: CABIN FLOOR PROTECTOR

Date: User:

Tuesday, 19/08/2008 4:05:26 PM

: 12663

Julie Lecocq

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 41470

S.O. No. :

Estimate Number

P.O. Number

This Issue : 19/08/2008

: NC Prsht Rev.

First Issue

: 40650 **Previous Run**

Written By

Checked & Approved By

Comment

: //

Type

New Issue 07-01-22

: SMALL /MED FAB

EC

Part Number **Drawing Number**

: D35751 . D3575 REV.A

Project Number

Drawing Name

: N/A

Drawing Revision Material

Due Date

05/09/2008

Qty:

4 Um:

Each

Additional Product

Job Number:



: Est Rev :A

Seq. #:

Machine Or Operation:

Description: GE PLASTICS LEXAN SHEET

1.0

MLEXS125F6002904

Total:

Comment: Qty.: 11.1993 sf(s)/Unit lexan sheet

Batch: 169

WATER JET

FLOW WATER JET



Comment: FLOW WATER JET


1-Cut as per Dwg D3575

Dwg Rev: Prog Rev:__/ B & 10-1

2-Deburr if necessary

3.0 QC2

INSPECT PARTS AS THEY COME OFF MACHINE







Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0





Comment: SECOND CHE

5.0

SMALL FAB

SMALL & MEDIUM FAB RESOURCE 1





Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary.

08 10 01

SAD

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES									
DATE STEP		PROCEDURE CHANGE	. 8	Зу	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
			I					,			
			•			ļ					
			1								
		·									
			ı								
								į			

Part No: <u>D3575-1</u>	PAR #: NA	Fault Category: Fred has 1554	NCR: (Yes) No	DQA:	Date: <u> </u>
Resolution:	Supp.	Disposition: Scap	QA: N/C Closed		Date: 81100

NCR: Ц	1470	WC	ORK OR	DER NON-CONFORMANCI	E (NCR)			,
	STEP	Description of NC	Corrective Action Section B			Verification	Approval	Approval
DATE STE		Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspecto
08.10·01	2.0	Shifted by 0.125, pt the holes of top edges.		Scrap 2 replace. aty 1 M 109485	8-10-5 B	5		10610.01
· 		f.c: operator left the machine running while putting	/651W2			68/11/18	168/142	70810.07
		muchine nuning while putting power material, water below shifted material						
					<u> </u>			
							Į.	-
					!			
			!					

NOTE: Date & initial all entries

Date: Tuesday, 19/08/2008 4:05:26 PM User: • Julie Lecocq **Process Sheet** Drawing Name: CABIN FLOOR PROTECTOR Customer: CU-DAR001 Dart Helicopters Services Job Number: 41470 Part Number: D35751 Job Number: Seq. #: **Machine Or Operation:** Description: INSPECT WORK TO CURRENT STEP 6.0 QC5 Comment: INSPECT WORK TO CURRENT STEP ع ۸ PACKAGING RESOURCE #1 7.0 PACKAGING 1 413/0 Comment: PACKAGING RESOURCE #1 Identify with P/N and B/N using a permanent fine point marker, then Stock Location:___ FINAL INSPECTION/W/O RELEASE 8.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

			*							
Dart Ae	rospace	Ltd			I .					
W/O:			WO	RK ORDER CHANG	GES					
DATE	STEP	PRO	CEDURE CHAN	NGE		Ву	Date C	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		•	·		1					
		_			1					
					i					
Part No	•	PAR #:	Fault Categ	gory:	NCF	R: Yes N	lo DQA:		Date:	
	R	esolution:	Disposition	n:	QA:	N/C Clo	sed:		Date:	<u>-</u>
NCR:		V	VORK ORDE	ER NON-CONFORM	IANCE	(NCR)				į
		Description of NC		Corrective Action Sec	ction B		Verificat	ion	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Date	Section	-	Chief Eng	QC Inspector
1					ı		*			
į					 					

		Description of NC		Corrective Action Section B			Approval	Approval QC Inspector
DATE	STEP	Section A		Initial Action Description Chief Eng Chief Eng		Verification Section C	Approval Chief Eng	
				1				
				ı		,		
				i				
			·	I				
		· ,		!				
,								
							. <u> </u>	
				* /	İ			
	,				i			

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order: 41470					
Description: Cabin Floor Protector	Part Number: D3575-1					
Inspection Dwg: D3575 Rev: A	Page 1 of 1					

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø3.00	+0.006/-0.001	3005	×			
1.00	+/-0.030	1.00	×		- "	
3.50	+/-0.030	3.50	*			
16.00	+/-0.030	16,00	₩			
23.13	+/-0.030	23,13	×		•	
26.88	+/-0.030	26.88	×			
27.69	+/-0.030	27.69	X			
4.25	+/-0.030	4.75	حا			
9.63	+/-0.030	9.63	> e			
16.13	+/-0.030	16.13	X 6			
28.06	+/-0.030	28.06	X C			
32.15	+/-0.030	32.15	8			
2.00	+/-0.030	00.G	×			
3.50	+/-0.030	3,50	×			
14.25	+/-0.030	14.25	X			
25.13	+/-0.030	25,13	×	_		
29.38	+/-0.030	29.38	k o			
30.13	+/-0.030	30.13	x			
1.25	+/-0.030	1.25	×			
3.38	+/-0.030	3.3%	X			
5.00	+/-0.030	5.00	X			
6.50	+/-0.030	6.50	≯ o			
26.13	+/-0.030	26,13	X			
31.50	+/-0.030	31.50	×			

Measured by:

Date: S-(C-)

Rev Date Change

Audited by:

Date: Ob-10-01

Prototype Approval: N/A

Date: N/A

Revised by A Approved


KJ/DD

08.02.29

New Issue







D3575-1 CABIN FLOOR PROTECTOR (SHOWN) D3575-2 CABIN FLOOR PROTECTOR (OPPOSITE)

1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, SHOP COPY TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

ENGINEERING

WORK ORDER

RETURN TO


- 4) IDENTIFY WITH DART P/N "D3575-1/-2" USING FINE POINT PERMANENT WINK MARKER ED COPY SUBJECT TO AMENDMENT ON SMOOTH SIDE OF PART WITHOUT NOTICE
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX


7) CHECK PER TEMPLATE DT8966

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3575-3 CABIN FLOOR PROTECTOR

1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICKOPY TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04) RETURN TO

ENGINEERING


WGRK PADER


- 4) IDENTIFY WITH DART P/N "D3575-3" USING FINE POINT PERMANENT INK MARKER ENDMENT ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8967

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3575-4 CABIN FLOOR PROTECTOR

1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TO TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)

ENGINEERING UNCONTROLLED COPY

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SUBJECT TO AMENDMENT

SHOP COPY

4) IDENTIFY WITH DART P/N "D3575-4" USING FINE POINT PERMANENT INK MARKER OF THE OF TH ON SMOOTH SIDE OF PART


5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED


- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8968

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3575-5 CABIN FLOOR PROTECTOR (SHOWN) D3575-6 CABIN FLOOR PROTECTOR (OPPOSITE)

NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICKLOP COPY TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04) **RETURN TO**
- 2) FINISH: NONE

ENGINEERING

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

UNCONTROLLED COPY

- 4) IDENTIFY WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT SINKE THAT WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT SINKE THAT WE WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT SINKE THAT WE WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT SINKE THAT WE WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT SINKE THAT WE WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT SINKE THAT WE WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT SINKE THAT WE WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT SINKE THAT WE WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT SINKE THAT WE WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT SINKE THAT P/N "D4575-5/-6" USING FINE POINT PERMANENT SINKE THAT P/N "D4575-5/-6" USING FINE POINT PERMANENT SINKE THAT P/N "D4575-5/-6" USING FINE P/N "D4575-5/-6" USING WITHOUT NOTICE ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8969

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.